

Chubb

POWERED BY API GROUP



When cost matters, the CareUnity LTE DAU delivers the performance you demand, combining reliability, visual appeal, and exceptional value in one cost-effective solution. Choose CareUnity LTE for a smart investment that doesn't compromise on quality or design.

VoLTE



Dual
SIM

900m
Range

CareUnity LTE seamlessly integrates with multiple devices/sensors including emergency pendants, wrist transmitters, fall sensors, PIR motion sensors, smoke detectors, and more. The CareUnity LTE offers a compact size and user-friendly design, making it perfect for residents' own homes as well as assisted living applications.

Help When Needed

CareUnity LTE can directly communicate with all monitoring centre platforms, opening two-way crystal-clear communication to establish the needs of your client



Monitoring centre

CareUnity LTE



- Dispersed Alarm Unit
- Hands-free two-way communication up to 6 metres
- Two-button design, to connect to monitoring centres for intercom communication and/or manage door access
- Integration with up to 20 sensors
- Support for VoLTE (Voice Over LTE)
- Able to support multiple Communication protocols
- World-class certified RF range, reliability and performance
- Nano SIM card and eSIM support
- Remote firmware updates via OTA (Over the Air)

Specification	
RF Range	900m
Power Source	9V 1A
Backup Battery	4.8V 850mAh Ni-Mh rechargeable battery pack
Backup Battery Life	24 hours
Speaker	3W, 66 Φ
Frequency band (LTE)	EU: B1 (2100 MHz) / B3 (1800 MHz) / B7 (2600 MHz) / B8 (900 MHz) / B20 (800 MHz) / B28 (700 MHz)
Frequency band (3G)	EU: B1 (2100 MHz) / B8 (900 MHz)
Operating Temperature	-10°C to 45°C (14°F to 113°F)
Operating Humidity	Up to 85% non-condensing
Dimensions	136mm x 136mm x 58mm

Call 0844 56 113 16

www.chubbcommunitycare.co.uk